

SAFETY DATA SHEET — 16 Sections

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier			[WHMIS CI	[WHMIS Classification]	
Perlite (All Grades)			Not App	olicable	
Product Use					
Light weight aggregate, Hortic	ultural aggregate,	Refractory, Ins	ulation, Filter aid, Pr	ecoat Soak-l	Jp, adsorbent perlite.
Manufacturer's Name			Supplier's Name		
P.V.P. Industries Inc.					
Street Address			Street Address		
P.O. Box 129, 9819 Pennimar	Road				
City	Provinc	ce	City		Province
North Bloomfield	OH				
Postal Code	Emergency Telephone		Postal Code		Emergency Telephone
44450	440-685-4701				
Date SDS Revised		Prepared By		Phone Nun	
05/12/2022	Micha	ael Dunlavey		440-68	5-4701
This product contains crystalline silica (less than .01%). OSHA considers perlite to be a nuisance dust. Inhalation of high amounts over long periods of nuisance dust may overload lung clearance mechanism and make the lungs more vulnerable to respiratory disease. WHMIS Symbols					
Not Regulated					
Potential Health Effects					
Inhalation: Pre-existing upper respiratory and lung disease may be aggravated. Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Chronic inhalation of dust should be avoided.					
Eye: May cause irritation (tear formation and redness) if dust gets in eyes.					
Skin: Not absorbed by the skin. But may cause dryness if prolonged exposure.					
Ingestion: Ingestion of small to moderate quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.					

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	%	CAS Number	LD 50 of Ingredient (specify species and route)	LC ₅₀ of Ingredient (specify species)	OSHA PEL (mg/m3)	ACGIH TLV (mg/m3)
Perlite	100	93763-70-3	Not Available	Not Available	10	15
Silica/ Quartz	< 0.01	14808-60-7	Not Available	Not Available	Not Available	.05

SECTION 4 — FIRST AID MEASURES

_	
	Skin Contact
	Use moisture renewing lotions if dryness occurs.
	Eye Contact
	Flush eyes with generous quantities of water or eye rinse solution. Consult physician if irritation persists.
	Inhalation
	Remove to fresh air. Blow nose to evacuate dust.
	Ingestion
	Drink generous amounts of water to reduce bulk and drying effects.

SECTION 5 — FIRE FIGHTING MEASURES

Flammable	If yes, under which conditions?	
□ _{Yes} ⊠ _{No}		
Means of Extinction		
NI/A		
N/A		
Flashpoint (° C) and Method	Upper Flammable Limit (% by volume)	Lower Flammable Limit (% by volume)
None	None	None
Auto ignition Temperature (°C)	Explosion Data — Sensitivity to Impact	Explosion Data — Sensitivity to Static Discharge
, , ,	• •	
Not Combustible	N/A	N/A
Hazardous Combustion Products	·	·
N/A		
NFPA		
N/A		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal Precautions: If dust is present, use respirator fitted with particulate filter as specified in Section 8. Protect eyes with goggles.

Containment and Cleanup: Vacuum clean dust with equipment fitted with HEPA filter. Use dust suppressant such as water if sweeping is necessary.

Environment: Not considered as hazardous waste by RCRA (40 CFR Part 261). Place waste and spillage in closed containers. Dispose of in approved landfill.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment
Minimize dust generation. Avoid contact with eyes. Avoid breathing dust. Repair or dispose of broken bags.
Storage Requirements
Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid. Observe all label
precautions and warnings.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits	ACGIH TLV	⊠osha pel	Other (spec	cify)		
Specific Engineering Controls (su	ich as ventilation, enclo	sed process)				
Adequate ventilation a	and appropriate	e local exhaust w	here needed to	keep dust level be	elow PEL.	
Personal Protective Equipment	Gloves	Respirator	Eye	Footwear	Clothing	Other
If checked, please specify type						
Eye: Goggles to prote	ct from dust.					

Skin: No special equipment is required.

Respiratory: Respirators fitted with filters certified to standard 42CFR84 under series N95 should be worn when dust is present. If the dust concentration is less than ten (10) time the Permissible Exposure Limit (PEL) use a quarter or half mask respirator. If dust concentration is greater than ten (10) times and less than fifty (50) times the PEL, a full-face piece respirator fitted with replaceable N95 filters is recommended. If dust concentration is greater than fifty (50) and less than two-hundred (200) times the PEL use a power air-purify (positive pressure) respirator with replaceable N95 filter. If dust concentration

two-hundred (200) times the PEL use a power air-purify (positive pressure) respirator with replaceable N95 filter. If dust concentration is greater than two-hundred (200) times the PEL use a type C, supplied air respirator (continuous flow, positive pressure), with full face piece, hood or helmet.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Odor and Appearance	Odor Threshold (ppm)
Solid	White Granules or Powder. No distinct	N/A
	odor.	
Specific Gravity	Vapor Density (air = 1)	Vapor Pressure (mmHg)
2.35	N/A	N/A
Evaporation Rate	Boiling Point (° C)	Freezing Point (° C)
N/A	N/A	N/A
рН	Coefficient of Water/Oil Distribution	[Solubility in Water]
6-10	N/A	Slightly Soluble



SECTION 10 — STABILITY AND REACTIVITY

N/A

	inder which conditions?					
⊠ _{Yes} □ No						
	which ones?					
□ No Reacts with Hydrofluoric Acid to form Silicon Tetrafluoride gas						
Reactivity and under what conditions?						
No dangerous reactions known.						
Hazardous Decomposition Products						
None						
SECTION 11 — TOXICOLOGICAL IN	SECTION 11 — TOXICOLOGICAL INFORMATION Effects of Acute Exposure					
Potential irritant for skin contact, eye contact of	or inhalation					
1 Storman minant for Shin Somash, Sys Somash	T III I I I I I I I I I I I I I I I I I					
Effects of chronic exposure						
Perlite is a naturally occurring volcanic glass consisting of fused sodium-potassium-aluminum silicate. Tests conducted on Perlite have not identified crystalline silica as being present above the detection limit (0.05%). Although there are not published reports of adverse health effects from exposure to perlite dust, dust levels should be maintained below the OSHA Permissible Exposure Limit for perlite and respirators used when airborne dust is present.						
Irritancy of Product						
Potential irritant for skin contact, eye contact or inhalation.						
Skin sensitization	Respiratory sensitization					
Possible through skin contact.						
Carcinogenicity-IARC	Carcinogenicity - ACGIH					
N/A	N/A					
Reproductive toxicity	Teratogenicity					
N/A	N/A					
Embrotoxicity	Mutagenicity					
N/A	N/A					
Name of synergistic products/effects						

SECTION 12 — ECOLOGICAL INFORMATION

Aquatic Toxicity					
Generally considered inert. Perlite has no negative ecological effect and may be used as a soil container.					
SECTION 13 — DISPOSAL CONSIDERATIONS					
Not considered hazardous waste by the RCRA (40 CFR Part 2 Dispose in accordance with Federal, State and Local regulation	,	closed containers.			
SECTION 14 — TRANSPORT INFORMATION					
Special Shipping Information					
No known shipping regulations.					
		PIN			
700	7	N/A			
TDG N/A	DOT N/A				
N/A IMO	N/A ICAO				
N/A	N/A				
SECTION 15 — REGULATORY INFORMATION WHMIS Classification	OSHA Perlite is not considered as a toxic	or hazardous subject.			
SERA	TSCA	·			
Not Listed	Not Listed.				
This product has been classified in ac Controlled Products Regulations (CPR) and the M					
SECTION 16 — OTHER INFORMATION					
Notice: This information relates only to the material designate with any other materials or in any process. All statements, information, but are presented without any guarantee, representations implied. Any and all representations and/or warranties of merodisclaimed. Users should make their own investigations as to purpose. Nothing in this document is intended as permission, any invention covered by existing patents, copyrights or inventors or damage that may occur from the use of this information	ormation and data provided are betion, warranty or responsibility of chantability of fitness for a particulation suitability of the information of inducement or recommendation tions. P.V.P. Industries Inc. does	elieved to be accurate and any kind, expressed or lar purpose are specifically or product for their particular to violate any laws or practice			